

EU Type Examination Certificate

This is to certify that:

JINHUA MEIXIN PROTECTIVE
EQUIPMENT FACTORY
South Building 1
Zhenbei Function Zone
Xiaoshun Town, Jindong District
Jinhua City, Zhejiang Province
321035
China

Holds Certificate Number:

CE 687723

In respect of:

Respiratory protective devices to EN 149:2001+A1:2009
Filtering half masks to protect against particles
Model Ranges: MX-2000, MX-3000, MX-5000 and MX-6000 series.

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified
Body for the above Regulation
(Notified Body Number 2797):



Denelise L'Ecluse, Managing Director Assurance - Continental
Europe

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 1 of 8



EU Type Examination Certificate

No. CE 687723

Product Specification

Product: Particulate Respirators

Product Type: Respiratory protective devices - Filtering half masks to protect against particles

Product Ranges: MX-2000

MX-2000 Product Range

Models with variants:	Model Range	Models
	MX-2003/V	MX-2003 and MX-2003V
	MX-2004/V	MX-2004 and MX-2004V
	MX-2005/V	MX-2005, MX-2005V, MX-2005-1 and MX-2005V-1
	MX-2006/V	MX-2006, MX-2006V, MX-2006-1 and MX-2006V-1
	MX-2007/V	MX-2007 and MX-2007V
	MX-2008/V	MX-2008 and MX-2008V
	MX-2016/V	MX-2016 and MX-2016V

Models with no variants:	Models
	MX-2014V
	MX-2017V
	MX-2018V

(cont)

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 2 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 687723

MX-2000 Product Range (cont)

Technical Specification: European Standard: EN 149:2001+A1:2009 –
Respiratory protective devices – Filtering half masks to protect against particles.

Product Description: The particulate respirators are 'cup style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve.

All models are single shift devices, denoted by the classification symbol NR, and some meet the clogging option requirement of EN 149, denoted by the classification symbol D, see EN 149 Classification Table.

The MX-2003/V, MX-2004/V, MX-2005/V, MX-2006/V, MX-2007/V and MX-2008/V ranges make use of the same filter media, and the same design of nose clip and head straps.

The models MX-2005-1, MX-2005V-1, MX-2006-1 and MX-2006V-1 have the same design of PVC foam nose seal, the all the other models have a sponge nose seal.

The MX-2004/V, MX-2006/V and MX-2008/V ranges include a carbon layer in the filtering media.

Models with the V suffix have the same design of exhalation valve.

The masks are held in place by a pair of elasticated head straps. All ranges are classified as both FFP1 and FFP2.

The MX-2014V, MX-2016, MX-2016V, MX-2017V and MX-2018V models make use of the same filter media and the same design of nose clip and head straps. The MX-2014V incorporates a velvet nose seal and the models MX-2016, MX-2016V, MX-2017V and MX-2018V have a PVC foam nose seal. The V suffix indicates the models include an exhalation valve of the same design. The masks are held in place by a pair of elasticated head straps with 'pull-through' adjusters. All ranges are classified as FFP3.

(cont)

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 3 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 687723

MX-2000 Product Range (cont)

EN 149 Classifications:

Models	Classification
MX-2003 and MX-2003V	FFP1 NR D
MX-2004 and MX-2004V	FFP1 NR D
MX-2005, MX-2005V, MX-2005-1 and MX-2005V-1	FFP1 NR
MX-2006, MX-2006V, MX-2006-1 and MX-2006V-1	FFP1 NR
MX-2007 and MX-2007V	FFP1 NR
MX-2008 and MX-2008V	FFP1 NR
MX-2003 and MX-2003V	FFP2 NR D
MX-2004 and MX-2004V	FFP2 NR D
MX-2005, MX-2005V, MX2005-1 and MX-2005V-1	FFP2 NR
MX-2006, MX-2006V, MX-2006-1 and MX-2006V-1	FFP2 NR
MX-2007 and MX-2007V	FFP2 NR
MX-2008 and MX-2008V	FFP2 NR
MX-2014V	FFP3 NR
MX-2016	FFP3 NR
MX-2016V	FFP3 NR
MX-2017V	FFP3 NR D
MX-2018V	FFP3 NR

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 4 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 687723

Product Specification (cont)

Product: Particulate Respirators

Product Type: Respiratory protective devices - Filtering half masks to protect against particles

Product Range: MX-3000 series

Models with variants:	Models	Classification
	MX-3005 and MX-3005V	FFP1 NR
	MX-3006 and MX-3006V	FFP1 NR
	MX-3005 and MX-3005V	FFP2 NR
	MX-3006 and MX-3006V	FFP2 NR

Models with no variants:	Models	Classification
	MX-3014V	FFP3 NR

Technical Specification: European Standard: EN 149:2001+A1:2009
Respiratory protective devices – Filtering half masks to protect against particles.

Product Description: The particulate respirators are 'flat fold style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve.

All models are single shift devices, denoted by the classification symbol NR.

Models MX-3006 and MX-3006V include a carbon layer in the filtering media. All models incorporate a sponge nose seal. Models with the V suffix have the same design of exhalation valve.

The masks are held in place by a pair of elasticated head straps.

The MX-3005, MX-3005V, MX-3006 and MX-3006V models are classified as both FFP1 and FFP2 and the MX-3014V is classified as FFP3.

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 5 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 687723

Product Specification (continue)

Product: Particulate Respirators

Product Type: Respiratory protective devices - Filtering half masks to protect against particles

Product Range: MX-5000 series

Models with variants:	Models	Classification
	MX-5005 and MX-5005V	FFP1 NR
	MX-5006 and MX-5006V	FFP1 NR
	MX-5005 and MX-5005V	FFP2 NR
	MX-5006 and MX-5006V	FFP2 NR

Models with no variants:	Models	
	MX-5014V	FFP3 NR
	MX-5014	FFP3 NR

Technical Specification: European Standard: EN 149:2001+A1:2009
Respiratory protective devices – Filtering half masks to protect against particles.

Product Description: The particulate respirators are 'flat fold style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve.
All models are single shift devices, denoted by the classification symbol NR.
Models MX-5006 and MX-5006V include a carbon layer in the filtering media. All models incorporate a sponge nose seal. Models with the V suffix have the same design of exhalation valve. The masks are held in place by a pair of elasticated head straps.
The MX-5005, MX-5005V, MX-5006 and MX-5006V are classified as both FFP1 and FFP2 and the MX-5014V and MX-5014 are classified as FFP3.

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 6 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 687723

Product Specification (continue)

Product: Particulate Respirators

Product Type: Respiratory protective devices - Filtering half masks to protect against particles

Product Range: MX-6000 series

Models with variants:	Models	Classification
	MX-6005 and MX-6005V	FFP1 NR D
	MX-6006 and MX-6006V	FFP1 NR D
	MX-6005 and MX-6005V	FFP2 NR D
	MX-6006 and MX-6006V	FFP2 NR D

Models with no variants:	Models	Classification
	MX-6014 and MX-6014V	FFP3 NR D

Technical Specification: European Standard: EN 149:2001+A1:2009
Respiratory protective devices – Filtering half masks to protect against particles.

Product Description: The particulate respirators are 'cup style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve.

All models are single shift devices, denoted by the classification symbol NR. All models also meet the clogging option requirement of EN 149, denoted by the classification symbol D, see EN 149 Classification Table.

Models MX-6006 and MX-6006V include a carbon layer in the filtering media. All models incorporate a PVC foam nose seal. Models with the V suffix have the same design of exhalation valve. The masks are held in place by a pair of elasticated head straps.

The MX-6005, MX-6005V, MX-6006 and MX-6006V are classified as both FFP1 and FFP2 and MX-6014 and MX-6014V are classified as FFP3.

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 7 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 687723

Certificate Administration Details

Technical File Reference:

JINHUA MEIXIN, EN 149:2001+A1:2009 technical files – PPE Regulation (EU) 2016/425.
JINHUA MEIXIN tech file_ MX-5014.

Certificate Amendment Record:

Issue Date	Comments	BSI Review No.
July 2018	First issue.	0086:18:8883715
February 2019	Extension to scope to add the following models: MX-3005, MX-3005V, MX-3006, MX-3006V and MX-3014V.	0086:19:8924423
July 2019	Addition of models MX-5005, MX-5005V, MX-5006, MX-5006V, MX-5014V.	0086:19:9721036
July 2021	Address amendment.	2797:21:3478530
October 2021	Addition of models MX-2016 and MX-2018V.	2797:21:3411596
April 2022	Change of company address. Addition of model variants MX-2005-1, MX-2005V-1, MX-2006-1 and MX-2006V-1. Addition of the nose seal details for all models.	2797:22:3551929
July 2022	Addition of model variants MX-6005, MX-6005V, MX-6006, MX-6006V, MX-6014 and MX-6014V.	2797:22:3620997
June 2023	Addition of model MX-5014 and Certificate renewal.	2797:23:3890213

Certificate validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

The validity of the Certificate for the products is also dependent on the maintenance of the EU Conformity to Type based on Quality Assurance of the Production Process, Annex VIII (Module D), BSI issued Certificate CE 687725 refers.

First Issued: 2018-07-25

Latest Issue: 2023-06-07

Effective Date: 2023-06-07

Expiry Date: 2028-07-24

Page: 8 of 8

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.